

ΣΥΝΟΨΗ ΤΟΥ ΒΙΟΓΡΑΦΙΚΟΥ ΣΗΜΕΙΩΜΑΤΟΣ

- Πτυχίο Ιατρικής Σχολής Πανεπιστημίου Αθηνών (1986)
- Τίτλος ιατρικής ειδικότητας: Παθολογία (1997)
- Ερευνητική και κλινική εργασία στον τομέα του σακχαρώδη διαβήτη, των μεταβολικών και ενδοκρινικών νοσημάτων στο Πανεπιστήμιο του Manchester (Manchester Royal Infirmary), Μ. Βρετανία (1997-1998)
- Εξειδίκευση: Σακχαρώδης διαβήτης (2000)
- Επιμελητής Β' Ε.Σ.Υ. (1998-2003), Α' Προπαιδευτικής Παθολογικής Κλινικής Πανεπιστημίου Αθηνών
- Διδάκτορας (2001), Λέκτορας (2003), Επίκουρος Καθηγητής (2007), Αναπληρωτής Καθηγητής (2013) Ιατρικής Σχολής Πανεπιστημίου
- Υπεύθυνος Διαβητολογικού Κέντρου Γ.Ν.Α. «Λαϊκό» (2007)
- Υπεύθυνος του εκπαιδευτικού προγράμματος της Οδοντιατρικής Σχολής στη Σημειολογία (2007-2015)
- Υπεύθυνος από το 2007 της οργάνωσης και λειτουργίας του Ερευνητικού Εργαστηρίου του Διαβητολογικού Κέντρου της Α'ΠΠΚ
- Συμμετοχή στην εκπαίδευση των φοιτητών του 7^{ου} και 8^{ου} εξαμήνου της Ιατρικής Σχολής στη Σημειολογία-Ειδική Νοσολογία και των φοιτητών του 12^{ου} εξαμήνου στην Παθολογία
- Συμμετοχή στην εκπαίδευση των ειδικευομένων ιατρών στην Παθολογία και των ιατρών Παθολόγων που είναι επίσημα αποσπασμένοι από το Υπουργείο Υγείας για εξειδίκευση στο σακχαρώδη διαβήτη
- Κλινικό έργο τόσο στα εξωτερικά ιατρεία του Διαβητολογικού Κέντρου όσο και στην Παθολογική Κλινική ως υπεύθυνος θαλάμων νοσηλευομένων ασθενών και στις εφημερίες της κλινικής
- Συμμετοχή σε επιστημονικές/οργανωτικές επιτροπές 8 διεθνών συνεδρίων και 45 Ελληνικών, 6 εισηγήσεις κατόπιν προσκλήσεως στο εξωτερικό και άνω των 100 στην Ελλάδα
- Μέλος του Editorial Board 4 ιατρικών περιοδικών και σύμβουλος/κριτής σε 72 διεθνή περιοδικά.
- Επίβλεψη 15 διδακτορικών διατριβών
- Το συγγραφικό έργο περιλαμβάνει συμμετοχή σε 6 Διεθνή και 8 Ελληνικά πολυσυγγραφικά ιατρικά συγγράμματα σχετικά με το σακχαρώδη διαβήτη
- Το ερευνητικό έργο περιλαμβάνει άνω των 140 δημοσιεύσεων (Medline) που έχουν περισσότερες από 3000 αναφορές στη Διεθνή βιβλιογραφία και h-index 35 (Google Scholar)
- Επανεπιλεγμένο μέλος του Δ.Σ. της εταιρείας μελέτης παθήσεων διαβητικού ποδιού και της Ελληνικής Εταιρείας Εσωτερικής Παθολογίας, Scientific

Secretary του Diabetic Foot Study Group (από το 2013) της European Association for the Study of Diabetes (από το 2014), μέλος του American College of Physicians και μέλος της American Diabetes Association. Μέλος της Επιτροπής του EASD για θέματα Διαβήτη στην Ευρωπαϊκή Επιτροπή της Ευρωπαϊκής Ένωσης (2016 και 2017).

- Με το κλινικό και ερευνητικό έργο ο Αναπληρωτής Καθηγητής Νικόλαος Τεντολούρης έχει συμβάλει στην πληρέστερη κατανόηση της αντιμετώπισης του σακχαρώδους διαβήτη και των επιπλοκών του καθώς και του μεταβολισμού. Επιπλέον, έχει συμβάλει ιδιαίτερα στην κατανόηση και τη θεραπεία της διαβητικής νευροπάθειας και του διαβητικού ποδιού τόσο στην Ελλάδα όσο και διεθνώς.

Στο Εργαστήριο του Διαβητολογικού Κέντρου της Κλινικής γίνονται οι εξής ειδικές εξετάσεις:

- Δοκιμασίες ελέγχου της δραστηριότητας του καρδιακού αυτόνομου νευρικού συστήματος
- Έλεγχος για περιφερική νευροπάθεια
- Δοκιμασία ευαισθησίας των τασεοϋποδοχέων
- Έλεγχος του μεταβολισμού
- Μέτρηση του σπλαχνικού λίπους
- Έλεγχος της μεταγευματικής λιπαιμίας

Ερευνητική δραστηριότητα:

Τρέχουσες κλινικές μελέτες:

- Μία Φάσης III, τυχαιοποιημένη, διπλά-τυφλή, ελεγχόμενη με εικονικό φάρμακο, παράλληλων ομάδων μελέτη της αποτελεσματικότητας, της ασφάλειας και της ανεκτικότητας των χορηγούμενων από του στόματος άπαξ ημερησίως δόσεων empagliflozin ως συμπληρωματική θεραπεία σε ινσουλινοθεραπεία για περίοδο διάρκειας 26 εβδομάδων σε ασθενείς με σακχαρώδη διαβήτη τύπου 1.
- Μία δοκιμή σύγκρισης της καρδιαγγειακής ασφάλειας της ινσουλινης glargine έναντι της ινσουλινης degludec σε ασθενείς με διαβήτη τύπου 2 που διατρέχουν υψηλό κίνδυνο καρδιαγγειακών επεισοδίων.
- Τυχαιοποιημένη διπλά τυφλή ελεγχόμενη με εικονικό φάρμακο μελέτη παράλληλων ομάδων για την αξιολόγηση καρδιαγγειακών εκβάσεων έπειτα από θεραπεία με ερτουγλιφλοζίνη (MK-8835/PF-04971729) σε ασθενείς με σακχαρώδη διαβήτη Τύπου 2 και προσδιορισμένη αγγειακή νόσο.
- Αξιολόγηση ακρίβειας 6 συστημάτων αυτοπαρακολούθησης της γλυκόζης του αίματος (SMBG) κατά το πρότυπο DIN EN ISO 15197:2013.

Ερευνητικά κλινικά πρωτόκολλα:

- Μελέτη των μεταβολών της νεύρωσης του κερατοειδούς με in Vivo Corneal Confocal Microscopy (CCM) συγκριτικά με τα αποτελέσματα βιοψίας δέρματος σε διαβητικούς ασθενείς για την πρώιμη διάγνωση, την αξιολόγηση της βαρύτητας και την παρακολούθηση της χρόνιας διαβητικής νευροπάθειας.
- Πρόβλεψη του διαβήτη τύπου 2 σε ασθενείς με ψυχωσικές διαραχές: THE GOMAP STUDY.
- Μελέτη της επαναληψιμότητας ενός σταθερού δοκιμαστικού γεύματος στη μεταγευματική λιπαιμία.
- Σακχαρώδης διαβήτης τύπου 2, αμφιβληστροειδοπάθεια και ψυχολογικές παράμετροι.
- Σακχαρώδης διαβήτης τύπου 2 και κατάθλιψη.
- Η σημασία της μεταγευματικής λιπαιμίας στην καρδιακή νοσηρότητα και θνητότητα σε άτομα αυξημένου καρδιαγγειακού κινδύνου: Μελέτη HPLS.

Διδακτορικές διατριβές που ολοκληρώθηκαν κατά τα έτη 2015-2016:

- Μελέτη της επίδρασης της ατορβαστατίνης στις ελαστικές ιδιότητες της αορτής σε ασθενείς με διαβήτη τύπου 2 με τη μέθοδο της τονομετρίας (Διδάκτορας: Π. Γρηγοροπούλου).
- Μελέτη του ρόλου της νεφρίνης και των νεφρινο-συνδεόμενων πρωτεϊνών στη σηματοδότηση και στη φυσιολογία των παγκρεατικών β-κυττάρων (Διδάκτορας: Α. Καποδίστρια).
- Το σύνδρομο του ξηρού οφθαλμού στο σακχαρώδη διαβήτη: Συσχέτιση με τη διαβητική νευροπάθεια (Διδάκτορας: Β. Αχτσιδης)
- Η συχνότητα των πολυμορφισμών του γονιδίου της C-αντιδρώσας πρωτεΐνης και της ιντερλευκίνης-6 σε ασθενείς με σακχαρώδη διαβήτη τύπου 2 και η συσχέτισή τους με τις επιπλοκές του διαβήτη (Διδάκτορας: Σ. Παπαοικονόμου).

- Μελέτη της μεταγευματικής λιπαιμίας σε άτομα με σακχαρώδη διαβήτη τύπου 2: Σύγκριση της θεραπείας με λιραγλουτίδη έναντι εξενατίδης (Διδάκτορας: Μ. Βούκαλη).
- Σύγκριση της επίδρασης της σιταγλυπτίνης και της μετφορμίνης στα επίπεδα των πεπτιδίων που ρυθμίζουν την όρεξη σε ασθενείς με διαβήτη τύπου 2 (Διδάκτορας: Κ. Αλεξιάδου).

Τρέχουσες διδακτορικές διατριβές:

- Αρχέγονα προγονικά ενδοθηλιακά κύτταρα στη διαβητική νευροπάθεια (Υποψήφια διδάκτωρ: Ν. Δημητρακοπούλου).
- Σύγκριση διαφορετικών μεθόδων εκτίμησης της ξηροδερμίας των άκρων ποδών και συσχέτιση με διαβητική νευροπάθεια (Υποψήφια διδάκτωρ: Ε. Σιάμη).
- Συσχέτιση των συγκεντρώσεων του GLP-1 στον ορό με τη διάρκεια της νόσου σε ασθενείς με σακχαρώδη διαβήτη τύπου 2 (Υποψήφια διδάκτωρ: Ε. Αθανασοπούλου).
- Η επίδραση της ταχύτητας πρόσληψης υδατανθράκων στη μεταγευματική λιπαιμία και τις ορεξιογόνες και ανορεξιογόνες ορμόνες του πεπτικού, σε άτομα με σακχαρώδη διαβήτη τύπου 2 (Υποψήφιος διδάκτωρ: Θ. Αγγελόπουλος).
- Η συσχέτιση του μεταβολικού συνδρόμου και του διαβήτη τύπου 2 με δείκτες λειτουργικότητας των β-κυττάρων με τη χρήση του oral minimal model assessment σε Ασιάτες και Καυκάσιους (Υποψήφια διδάκτωρ: Θ. Γεραγώτου).

Δημοσιευθείσες εργασίες

1. Effect of Insulin Glargine Up-titration vs Insulin Degludec/Liraglutide on Glycated Hemoglobin Levels in Patients With Uncontrolled Type 2 Diabetes: The DUAL V Randomized Clinical Trial. Lingvay I, Manghi FP, García-Hernández P, Norwood P, Lehmann L, Tarp-Johansen MJ, Buse JB; DUAL V Investigators. JAMA. 2016 Mar 1;315(9):898-907. doi: 10.1001/jama.2016.1252.
2. Efficacy of a New Heparan Sulfate Mimetic Dressing in the Healing of Foot and Lower Extremity Ulcerations in Type 2 Diabetes: A Case Series. Papanas N, Demetzos C, Pippa N, Maltezos E, Tentolouris N. Int J Low Extrem Wounds. 2016 Mar;15(1):63-7.

3. Cr-enriched yeast: beyond fibers for the management of postprandial glycemic response to bread. Yanni AE, Stamataki N, Stoupaki M, Konstantopoulos P, Pateras I, Tentolouris N, Perrea D, T Karathanos V. *Eur J Nutr*. 2016 Feb 25. [Epub ahead of print].
4. Waist circumference compared with other obesity parameters as determinants of coronary artery disease in essential hypertension: a 6-year follow-up study. Dimitriadis K, Tsioufis C, Mazaraki A, Liatakis I, Koutra E, Kordalis A, Kasiakogias A, Flessas D, Tentolouris N, Tousoulis D. *Hypertens Res*. 2016 Feb 11. doi: 10.1038/hr.2016.8. [Epub ahead of print]
5. The Keith-Wagener-Barker and Mitchell-Wong grading systems for hypertensive retinopathy: association with target organ damage in individuals below 55 years. Aissopou EK, Papathanassiou M, Nasothimiou EG, Konstantonis GD, Tentolouris N, Theodossiadi PG, Papaioannou TG, Sfikakis PP, Protogerou AD. *J Hypertens*. 2015 Nov;33(11):2303-9.
6. Ambulatory Aortic Stiffness Is Associated With Narrow Retinal Arteriolar Caliber in Hypertensives: The SAFAR Study. Aissopou EK, Argyris AA, Nasothimiou EG, Konstantonis GD, Tampakis K, Tentolouris N, Papathanassiou M, Theodossiadi PG, Papaioannou TG, Stehouwer CD, Sfikakis PP, Protogerou AD. *Am J Hypertens*. 2015 Aug 24. pii: hpv145. [Epub ahead of print]
7. Arterial Wall Elastic Properties and Endothelial Dysfunction in the Diabetic Foot Syndrome in Patients With Type 2 Diabetes. Antonopoulos AS, Siasos G, Konsola T, Oikonomou E, Tentolouris N, Kollia C, Gouliopoulos N, Zografos T, Papavassiliou AG, Tousoulis D. *Diabetes Care*. 2015 Nov;38(11):e180-1. doi: 10.2337/dc15-1042. Epub 2015 Aug 20.
8. The Additive Value of Femoral Ultrasound for Subclinical Atherosclerosis Assessment in a Single Center Cohort of 962 Adults, Including High Risk Patients with Rheumatoid Arthritis, Human Immunodeficiency Virus Infection and Type 2 Diabetes Mellitus. Protogerou AD, Fransen J, Zampeli E, Argyris AA, Aissopou E, Arida A, Konstantonis GD, Tentolouris N, Makrilakis K, Psychogiou M, Daikos G, Kitas GD, Sfikakis PP. *PLoS One*. 2015 Jul 31;10(7):e0132307. doi: 10.1371/journal.pone.0132307. eCollection 2015.
9. The Cost of Managing Type 2 Diabetes Mellitus in Greece: A Retrospective Analysis of 10-Year Patient Level Data "The HERCULES Study". Migdalis I, Rombopoulos G, Hatzikou M, Manes C, Kypraios N, Tentolouris N. *Int J Endocrinol*. 2015;2015:520759. doi: 10.1155/2015/520759. Epub 2015 May 20.
10. Low-frequency and rare exome chip variants associate with fasting glucose and type 2 diabetes susceptibility. The GOMAP Investigators. *Nat Commun*. 2015 Jan 29;6:5897. doi: 10.1038/ncomms6897.

11. The effect of consumption of low-glycemic-index and low-glycemic-load desserts on anthropometric parameters and inflammatory markers in patients with type 2 diabetes mellitus. Argiana V, Kanellos PT, Makrilakis K, Eleftheriadou I, Tsitsinakis G, Kokkinos A, Perrea D, Tentolouris N. *Eur J Nutr*. 2015 Oct;54(7):1173-80. doi: 10.1007/s00394-014-0795-8. Epub 2014 Dec 5.
12. The effect of slow spaced eating on hunger and satiety in overweight and obese patients with type 2 diabetes mellitus. Angelopoulos T, Kokkinos A, Liaskos C, Tentolouris N, Alexiadou K, Miras AD, Mourouzis I, Perrea D, Pantos C, Katsilambros N, Bloom SR, le Roux CW. *BMJ Open Diabetes Res Care*. 2014 Jul 2;2(1):e000013. doi: 10.1136/bmjdr-2013-000013. eCollection 2014.
13. Dry eye syndrome in subjects with diabetes and association with neuropathy. Achtsidis V, Eleftheriadou I, Kozanidou E, Voumvourakis KI, Stamboulis E, Theodosiadis PG, Tentolouris N. *Diabetes Care*. 2014 Oct;37(10):e210-1. doi: 10.2337/dc14-0860.
14. Relationship between autonomic nervous system function and continuous interstitial glucose measurement in patients with type 2 diabetes. Kalopita S, Liatis S, Thomakos P, Vlahodimitris I, Stathi C, Katsilambros N, Tentolouris N, Makrilakis K. *J Diabetes Res*. 2014;2014:835392. doi: 10.1155/2014/835392. Epub 2014 Aug 3.
15. Study of postprandial lipaemia in type 2 diabetes mellitus: exenatide versus liraglutide. Voukali M, Kastrinelli I, Stragalinou S, Tasiopoulou D, Paraskevopoulou P, Katsilambros N, Kokkinos A, Tentolouris N, Ioannidis I. *J Diabetes Res*. 2014;2014:304032. doi: 10.1155/2014/304032. Epub 2014 Aug 4.
16. A patient with type 2 diabetes and a burning sensation in his feet. Eleftheriadou I, Tentolouris N, Jude EB. *BMJ*. 2014 Jul 31;349:g4658. doi: 10.1136/bmj.g4658. No abstract available.
17. Mobile telemedicine systems in the multidisciplinary approach of diabetes management : the remote prevention of diabetes complications. Mammias CS, Geropoulos S, Markou G, Saatsakis G, Lemonidou C, Tentolouris N. *Stud Health Technol Inform*. 2014;202:307-10.
18. Assessment of the effects of 174G/C polymorphism on interleukin 6 gene on macrovascular complications in patients with type 2 diabetes mellitus. Papaoikonomou S, Tousoulis D, Tentolouris N, Miliou A, Papageorgiou N, Synetos A, Stefanadis C. *Int J Cardiol*. 2014;172(1):e190-1.

19. A simple plaster for screening for diabetic neuropathy: a diagnostic test accuracy systematic review and meta-analysis. Tsapas A, Liakos A, Paschos P, Karagiannis T, Bekiari E, Tentolouris N, Boura P. *Metabolism*. 2014 Apr;63(4):584-92.
20. A pilot, randomized controlled trial to examine the health outcomes of raisin consumption in patients with diabetes. Kanellos PT, Kaliora AC, Tentolouris NK, Argiana V, Perrea D, Kalogeropoulos N, Kountouri AM, Karathanos VT. *Nutrition*. 2014 Mar;30(3):358-64.
21. Implementation of a stress management program in outpatients with type 2 diabetes mellitus: a randomized controlled trial. Koloverou E, Tentolouris N, Bakoula C, Darviri C, Chrousos G. *Hormones (Athens)*. 2014 Oct-Dec;13(4):509-18.
22. Effect of atorvastatin on baroreflex sensitivity in subjects with type 2 diabetes and dyslipidaemia. Grigoropoulou P, Eleftheriadou I, Zoupas C, Makrilakis K, Papassotiriou I, Margeli A, Perrea D, Katsilambros N, Tentolouris N. *Diab Vasc Dis Res*. 2014 Jan;11(1):26-33.
23. Steroid-induced diabetes in rheumatologic patients. Angelopoulos TP, Tentolouris NK, Bertsiias GK, Boumpas DT. *Clin Exp Rheumatol*. 2014 Jan-Feb;32(1):126-30.
24. Serum angiopoietin-2 and CRP levels during COPD exacerbations. Nikolakopoulou S, Hillas G, Perrea D, Tentolouris N, Loukides S, Kostikas K, Simoes D, Georgakopoulou E, Vogiatzakis E, Veldekis D, Bakakos P. *COPD*. 2014 Feb;11(1):46-51.
25. Standard and emerging treatment options for diabetic neuropathy. Tentolouris N, Alexiadou K, Makrilakis K, Liatis S, Jude E, Boulton AJ. *Curr Pharm Des*. 2014;20(22):3689-704.
26. Intensification of insulin therapy in patients with type 2 diabetes: a retrospective, non- interventional cohort study of patients treated with insulin glargine or biphasic human insulin in daily clinical practice. Tentolouris N, Kyriazopoulou V, Makrigrannis D, Baroutsou B. *Diabetol Metab Syndr*. 2013 Aug 5;5:43. doi: 10.1186/1758-5996-5-43.
27. The association of the 174G>C polymorphism of interleukin 6 gene with diabetic nephropathy in patients with type 2 diabetes mellitus. Papaoikonomou S, Tentolouris N, Tousoulis D, Papadodiannis D, Miliou A, Papageorgiou N, Hatzis G, Stefanadis C. *J Diabetes Complications*. 2013 Nov-Dec;27(6):576-9.

28. Incretin-based therapies for type 2 diabetes mellitus: effects on insulin resistance. Grigoropoulou P, Eleftheriadou I, Zoupas C, Diamanti-Kandarakis E, Tentolouris N. *Curr Diabetes Rev.* 2013 Sep;9(5):412-7.
29. Thyroid hormone improves the mechanical performance of the post-infarcted diabetic myocardium: a response associated with up-regulation of Akt/mTOR and AMPK activation. Mourouzis I, Giagourta I, Galanopoulos G, Mantzouratou P, Kostakou E, Kokkinos AD, Tentolouris N, Pantos C. *Metabolism.* 2013 Oct;62(10):1387-93.
30. The role of C-reactive protein genetic variability in the onset of carotid artery disease and renal function impairment in patients with diabetes mellitus type 2. Papaoikonomou S, Tousoulis D, Tentolouris N, Papadogiannis D, Miliou A, Hatzis G, Papageorgiou N, Antoniadis C, Stefanadis C. *Int J Cardiol.* 2013 Oct 9;168(4):4331-2.
31. Cigarette Smoking Is Associated with Prolongation of the QTc Interval Duration in Patients with Type 2 Diabetes Mellitus. Thomakos P, Liatis S, Kalopita S, Vlahodimitris I, Stathi C, Katsilambros N, Tentolouris N, Makrilakis K. *Int J Endocrinol.* 2013;2013:329189.
32. The performance of serum inflammatory markers for the diagnosis and follow-up of patients with osteomyelitis. Michail M, Jude E, Liaskos C, Karamagiolis S, Makrilakis K, Dimitroulis D, Michail O, Tentolouris N. *Int J Low Extrem Wounds.* 2013 Jun;12(2):94-9.
33. A study of glycemic response to Corinthian raisins in healthy subjects and in type 2 diabetes mellitus patients. Kanellos PT, Kaliora AC, Liaskos C, Tentolouris NK, Perrea D, Karathanos VT. *Plant Foods Hum Nutr.* 2013 Jun;68(2):145-8.
34. Charcot foot associated with chronic alcohol abuse. Arapostathi C, Tentolouris N, Jude EB. *BMJ Case Rep.* 2013 Apr 5;2013. pii: bcr2012008263.
35. The spectrum of HNF1A gene mutations in Greek patients with MODY3: relative frequency and identification of seven novel germline mutations. Tatsi C, Kanaka-Gantenbein C, Vazeou-Gerassimidi A, Chrysis D, Delis D, Tentolouris N, Dacou-Voutetakis C, Chrousos GP, Sertedaki A. *Pediatr Diabetes.* 2013 Nov;14(7):526-34.
36. Dry eye in Graves ophthalmopathy: correlation with corneal hypoesthesia. Achtsidis V, Tentolouris N, Theodoropoulou S, Panagiotidis D, Vaikoussis E, Saldana M, Gouws P, Theodossiadis PG. *Eur J Ophthalmol.* 2013 Jul-Aug;23(4):473-9.

37. The effect of hyperhomocysteinemia on aortic distensibility in healthy individuals. Eleftheriadou I, Grigoropoulou P, Moyssakis I, Kokkinos A, Perrea D, Toutouzas K, Katsilambros N, Tentolouris N. *Nutrition*. 2013 Jun;29(6):876-80.
38. Screening for HbA1c-defined prediabetes and diabetes in an at-risk greek population: performance comparison of random capillary glucose, the ADA diabetes risk test and skin fluorescence spectroscopy. Tentolouris N, Lathouris P, Lontou S, Tzemos K, Maynard J. *Diabetes Res Clin Pract*. 2013 Apr;100(1):39-45.
39. Arterial stiffness is inversely related to plasma adiponectin levels in young normotensive patients with type 1 diabetes. Tsiakou A, Liatis S, Alexiadou K, Diakoumopoulou E, Makrilakis K, Tentolouris N, Kyriaki D, Katsilambros N. *Diabetes Care*. 2013 Mar;36(3):734-6.
40. A simple new non-invasive sweat indicator test for the diagnosis of diabetic neuropathy. Papanas N, Boulton AJ, Malik RA, Manes C, Schnell O, Spallone V, Tentolouris N, Tesfaye S, Valensi P, Ziegler D, Kempler P. *Diabet Med*. 2013 May;30(5):525-34.
41. Improvement in cardiovascular indices after Roux-en-Y gastric bypass or sleeve gastrectomy for morbid obesity. Kokkinos A, Alexiadou K, Liaskos C, Argyrakopoulou G, Balla I, Tentolouris N, Moyssakis I, Katsilambros N, Vafiadis I, Alexandrou A, Diamantis T. *Obes Surg*. 2013 Jan;23(1):31-8.